

SAFETY DATA SHEET

SDS #1150 Various Colors Ink Revision Date: 6/8/2015 Page 1 of 6

1. PRODUCT IDENTIFICATION

PRODUCT NAME: #1150 Various Colors Ink PRODUCT COLORS: #160 Various Colors Ink Black, Red, Green, Blue

PANNIER P/N Black: I1150-1110 Blue: I1150-3111.Green: I1150-4111Red: I1150-511C

RECOMMENDED USE: Coding & Marking RECOMMENDED restrictions: None known

Manufacturer/Supplier:
PANNIER CORPORATION
207 SANDUSKY STREET

PITTSBURGH, PA 15212-5823 U.S.A.

Emergency Telephone Number: INFOTRAC: 1-800-535-5053

2. HAZARDS IDENTIFICATION

Physical hazards Not classified

Health hazards Acute toxicity, oral Category 4
Serious eye damage/eye irritation Category 2B

Specific target organ toxicity

(name and a standard to standa

(repeated exposure) Category 2 (Kidney)

OSHA defined hazards Not classified

Label elements





Pictogram

Signal Word Warning

Hazard Statement Harmful if swallowed. Causes eye irritation. May cause damage to organs

(Kidney) through prolonged or repeated exposure

Precautionary Statements

Prevention Wash thoroughly after handling. Do not eat, drink or smoke when using

this product. Do not breathe mist or vapor.

Response If in eyes: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. If eye irritation

persists: Get medical advice/attention. If swallowed: Call a poison

center/doctor if you feel unwell. Rinse mouth. Get medical dvice/attention

if you feel unwell.

Storage Store away from incompatible materials.

Disposal Dispose of contents/container in accordance with

local/regional/national/international regulations.

Hazard(s) not otherwise

classified (HNOC)

None known.

3. COMPOSITION AND INFORMATION ON INGREDIENTS

SDS #1150 Various Colors Ink

Revision Date: 6/8/2015

Chemical NameCAS NoWeight-%Diethylene glycol111-46-694-97

Composition comments

All concentrations are in percent by weight unless ingredient is a gas.

Gas concentrations are in percent by volume.

4. FIRST AID MEASURES

First Aid Measures

Ingestion

Inhalation Move to fresh air. If breathing is difficult, remove to fresh air and keep at rest in a

position comfortable for breathing. Call a physician if symptoms develop or exist.

Skin contact Wash off immediately with soap and plenty of water. Take off contaminated

clothing and wash before reuse. Get medical attention if irritation develops and persists.

Eye contact Flush eyes immediately with large amounts of water. Remove contact lenses, if present

and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.

Never give anything by mouth to a victim who is unconscious or is having convulsions.

Rinse mouth thoroughly. Only induce vomiting at the instruction of medical personnel.

Get medical attention.

Most important symptoms/effects acute and delayed

May cause eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. May cause mild skin irritation.

Indication of immediate medical attention and special treatment needed

Provide general supportive measures and treat symptomatically. Keep victim warm. Keep victim under observation. Symptoms may be delayed.

General information

If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance.

5. FIREFIGHTING MEASURES

Suitable extinguishing media:

Water fog, Multipurpose foam, Dry chemical, CO2

Unsuitable extinguishing media:

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from the chemical

During fire, gases hazardous to health may be formed. Carbon oxides

Fire fighting equipment/instructions

Move containers from fire area if you can do so without risk.

Specific methods

Use standard firefighting procedures and consider the hazards of other involved materials.

General fire hazards

No unusual fire or explosion hazards noted. Heat may cause the containers to explode.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not breathe mist or vapor. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS. Avoid contact with skin and eyes. Wear suitable protective clothing, gloves and eye/face protection.

Methods and materials for containment and cleaning up This product is miscible in water.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Page 2 of 6

Page 3 of 6

SDS #1150 Various Colors Ink

Revision Date: 6/8/2015

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Environmental precautions

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS Avoid discharge into drains, water courses or onto the ground. Prevent from entering into soil, ditches, sanitary sewers, waterways and/or groundwater.

7. HANDLING AND STORAGE

Precautions for safe handling

Avoid forming spray/aerosol mists. Do not breathe mist or vapor. Avoid contact with skin and eyes. Observe good industrial hygiene practices. Provide adequate ventilation. Avoid prolonged exposure. Do not taste or swallow. When using, do not eat, drink or smoke. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Wear suitable protective clothing and gloves.

Conditions for safe storage, including any incompatibilities

Store in a closed container away from incompatible materials. Store away from incompatible materials (see Section 10 of the SDS). Store between 35°F (2°C) and 120°F (49°C)

8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

Occupational exposure limits

US. Workplace Environmental Exposure Level (WEEL) Guides

ComponentsTypeValueDiethylene glycol (CAS 111-46-6)TWA10 mg/m3

Biological limit values

No biological exposure limits noted for the ingredient(s).

Appropriate engineering controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide eyewash station.

Individual protection measures, such as personal protective equipment

Eye/face protection

Wear approved safety goggles. Wear face shield if there is risk of splashes.

Skin protection

Hand protection Wear appropriate chemical resistant gloves. Suitable gloves can be

recommended by the glove supplier. Be aware that the liquid may penetrate the

gloves. Frequent change is advisable.

Other Wear suitable protective clothing and gloves.

Respiratory protection

Chemical respirator with organic vapor cartridge and full facepiece. Minimise inhalation of aerosols/mists: In case of inadequate ventilation use suitable respirator. Seek advice from local supervisor.

Thermal hazards

Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES

Appearance Colored liquid.

Physical state Liquid.
Form Liquid.
Color Various.

Odor Characteristic.
Odor threshold Not available.
pH 7 (20°C/68°F)

SDS #1150 Various Colors Ink Revision Date: 6/8/2015 Page 4 of 6

Melting point/freezing pointNot available.Initial boiling point and boiling range473°F (245°C)Flash point294.8°F (146.0°C)Evaporation rateNot available.Flammability (solid, gas)Not applicable.

Upper/lower flammability or explosive limits

Flammability limit - lower (%)
Flammability limit - upper (%)
Explosive limit - lower (%)
Explosive limit - upper (%)
Vapor pressure
Vapor density

0.7% v/v
22% v/v
Not available.
Not available.
0hPa (20°C/68°F)
Not available.

Vapor density Relative density

Solubility(ies)

Solubility (water) Completely miscible with water.

Partition coefficient (n-octanol/water)
Auto-ignition temperature
Decomposition temperature
Viscosity

Not available.
Not available.
Not available.

Other information

Density 1.13 g/cm³ (20°C/68°F)

Explosive propertiesOxidizing properties
Not explosive.
Not oxidizing.

10. STABILITY AND REACTIVITY

Not available.

Reactivity

The product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability

Material is stable under normal conditions.

Possibility of hazardous reactions

Hazardous polymerization does not occur.

Conditions to avoid

Contact with incompatible materials.

Incompatible materials

Strong oxidizing agents. Strong acids. Strong bases. Alkali metals. Halogenated compounds.

Hazardous decomposition products

Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapors.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Inhalation May cause damage to organs through prolonged or repeated exposure by inhalation.

Prolonged inhalation may be harmful.

Skin contact May cause mild skin irritation.

Eye contact Causes eye irritation. **Ingestion** Harmful if swallowed.

Symptoms related to the physical, chemical and toxicological characteristics

Irritation of eyes. Exposed individuals may experience eye tearing, redness, and discomfort. Edema.

Prolonged contact may cause redness, irritation and dry skin.

Information on toxicological effects

Acute toxicity Harmful if swallowed. **Skin corrosion/irritation** Causes mild skin irritation.

Serious eye damage/eye irritation Causes eye irritation.

Respiratory or skin sensitization

SAFETY DATA SHEET

SDS #1150 Various Colors Ink Revision Date: 6/8/2015 Page 5 of 6

Respiratory sensitization

Not a respiratory sensitizer.

Skin sensitization This product is not expected to cause skin sensitization.

Germ cell mutagenicity No data available to indicate product or any components present at

greater than 0.1% are mutagenic or genotoxic.

Carcinogenicity

This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050) Not listed.

Reproductive toxicity This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity single exposure Not classified.

Specific target organ toxicity repeated exposure May cause damage to organs (Kidney) through

prolonged or repeated exposure.

Aspiration hazard

No data available.

Chronic effects May cause damage to organs through prolonged or repeated exposure. Prolonged

inhalation may be harmful. Frequent or prolonged contact may defat and dry the skin,

leading to discomfort and dermatitis.

12. ECOLOGICAL INFORMATION

Ecotoxicity The product components are not classified as environmentally hazardous. However, this does not

exclude the possibility that large or frequent spills can have a harmful or damaging effect on the

environment.

Persistence and degradability No data available. Bioaccumulative potential No data available.

Mobility in soil This product is water soluble and may disperse in soil.

Other adverse effects None known.

13. DISPOSAL CONSIDERATIONS

Disposal instructions Dispose in accordance with all applicable regulations.

Hazardous waste code The waste code should be assigned in discussion between the user, the

producer and the waste disposal company.

Waste from residues / unused products

Dispose of in accordance with local regulations. Empty containers or liners may

retain some product residues. This material and its container must be disposed

of in a safe manner (see Disposal instructions).

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even

after container is emptied. Empty containers should be taken to an approved

waste handling site for recycling or disposal.

SECTION 14 – TRANSPORTATION INFORMATION

DOT Not regulated as dangerous goods. IATA Not regulated as dangerous goods. **IMDG** Not regulated as dangerous goods.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not established.

SECTION 15 – REGULATORY INFORMATION

US federal regulations

This product is hazardous according to OSHA 29 CFR 1910.1200.

All components are on the U.S. EPA TSCA Inventory List.

CERCLA/SARA Hazardous Substances - Not applicable.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

CERCLA Hazardous Substance List (40 CFR 302.4)

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - Yes Not regulated. Not listed.

Not listed.

SAFETY DATA SHEET

Page 6 of 6

SDS #1150 Various Colors Ink

Delayed Hazard - Yes Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely hazardous substance Not listed. SARA 311/312 Hazardous chemical Yes

SARA 313 (TRI reporting) Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act (SDWA)

Not regulated.

US state regulations

US. Massachusetts RTK - Substance List
US. New Jersey Worker and Community Right-to-Know Act
Not regulated.
Not listed.

US. Pennsylvania Worker and Community Right-to-Know Law

Diethylene glycol (CAS 111-46-6)

US. Rhode Island RTK

Not regulated.

US. California Proposition 65

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

Revision Date: 6/8/2015

International Inventories

Country(s) or region Inventory name On inventory (yes/no)*

Canada Domestic Substances List (DSL) Yes
Canada Non-Domestic Substances List (NDSL) No

*A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s). A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

SECTION 16 – OTHER INFORMATION

Issue Date:30-June-2015Replaces:19-Jan-2015

Further information HMIS® is a registered trade and service mark of the NPCA HMIS:

Health: 2
Flammability: 3
Reactivity: 0

NFPA ratings



DISCLAIMER OF LIABILITY

Pannier Inc. cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available.