

SAFETY DATA SHEET

May be used to comply with OSHA's Hazard Communication Standard, 29 CFR 1910.1200. Standard must be consulted for specific requirements.

U.S. Department of Labor

Occupational Safety and Health Administration
(Non-Mandatory Form)
Form Approved
OMB No. 1218-0072

IDENTITY (As Used on Label and List)

2001 WHITE

Product Number: **I2001-2111**

Section I

Manufacturer's Name:

PANNIER CORPORATION

Emergency Telephone Number:

Infotrac 1-800-535-5053

Address (Number, Street, City, State, and ZIP Code):

207 Sandusky Street

Telephone Number for Information:

412-323-4900

Pittsburgh, Pennsylvania 15212 USA

www.pannier.com

Email: sales@pannier.com

Date Prepared:

March 12, 2021

Section II - Hazardous Ingredients/ Identity Information

Hazardous Components (Specific Chemical Identity; Common Name(s) (optional))	OSHA PEL	ACGIH TLV	Other Limits Recommended	%
--	----------	-----------	--------------------------	---

PRODUCT CONTAINS **NO** HAZARDOUS INGREDIENTS INCLUDING PIGMENTS SOLVENTS OR ADDITIVES

Pictogram



Section III - Physical/ Chemical Characteristics

Boiling Point	212°F	Specific Gravity (H ₂ O = 1)	1.5
Vapor Pressure (mm Hg.)	17.5	Percent Volatile by Volume (%)	0.0
Vapor Density	1.0	Evaporation Rate (Butyl Acetate = 1)	1.0
Solubility in Water	76.2%	pH (1% solution)	11.2

Appearance and Odor

White odorless slurry

Section IV - Fire and Explosion Hazard Data

Flash point (Method Used)	None	Flammable Limits	None	LEL	UEL
---------------------------	------	------------------	------	-----	-----

Extinguishing Media

None

Special Fire Fighting Procedures

None

Unusual Fire and Explosion Hazards

None

Section V - Reactivity Data

Stability	Unstable		Conditions to Avoid
	Stable	X	

Incompatibility (Materials to Avoid)

Avoid prolonged contact with aluminum, zinc, etc.

Hazardous Decomposition or Byproducts

Slow release of hydrogen in contact with aluminum, zinc, etc.

Hazardous Polymerization	May Occur		Conditions to Avoid
	Will Not Occur	X	

Section VI - Health Hazard Data

Route(s) of Entry:	Inhalation?	Skin?	Ingestions?
	No	No	No

Health Hazards (Acute and Chronic)

Causes irritation - Avoid contact with eyes and prolonged contact with skin.

Carcinogenicity:	NTP?	IARC Monographs?	OSHA Regulated?
	No	No	No

Signs and Symptoms of Exposure

Dry, chapped skin

Medical Conditions

Generally Aggravated by Exposure Sensitivity to alkaline solutions

Emergency and First Aid Procedures

In case of contact, immediately flush eyes with plenty of water for at least 15 minutes.
Call a physician. Flush skin with water.

Section VII - Precaution for Safe Handling and Use

Steps to be Taken in Case Material is Released or Spilled

Begin ordinary clean up procedures

Waste Disposal Method

Mop up and flush with water to sewer or drain.

Precautions to Be Taken in Handling and Storing

Store in a cool, dry place. Protect from freezing.
Do not repackage in aluminum, zinc, or galvanized containers.

Other Precautions

Wash thoroughly after handling

Section VIII - Control Measures

Respiratory Protection (Specify Type)

None required

Ventilation	Local Exhaust	Special
	Mechanical (General)	Other
	None required	

Protective Gloves

Rubberized gloves recommended

Eye Protection

Safety goggles required

Other Protective Clothing or Equipment

None required

Work/ Hygienic Practices

Wash thoroughly after handling

Page 2

U.S.G.P.O.: 1966-491-529/45775