

PANNIER CORPORATION
207 SANDUSKY STREET, PITTSBURGH, PA 15212-5823 U.S.A.

MATERIAL SAFETY DATA SHEET

#4 INK
RED, GREEN
JUNE 1, 2003 Rev. 6
PAGE 1 OF 3

IMPORTANT: Read this MSDS before handling and disposing of this product and pass this information on to employees, customers and users of this product.

CHEMTREC 24 HOUR EMERGENCY TELEPHONE NUMBER: 800-424-9300

INTERNATIONAL EMERGENCY TELEPHONE NUMBER: 703-527-3887

SECTION I - GENERAL INFORMATION

PRODUCT NAME: # 4 INK RED & GREEN
GENERIC NAME: Flexographic Ink
CHEMICAL FAMILY: Mixture
CAS NO.: NOT AVAILABLE (MIXTURE)
DOT HAZARDOUS MATERIALS PROPER SHIPPING NAME: Non-Restricted Ink
DOT HAZARD CLASS: Non-Restricted
UN/NA ID NO.: Not Applicable
HMIS CODES: 2H, 1F, 0R

SECTION II - HAZARDOUS INGREDIENTS

HAZARDOUS COMPONENTS	CAS NUMBER	OCCUPATIONAL EXPOSURE LIMITS		SEE SEC. VI	VAPOR PRESSURE		WEIGHT
		OSHA PEL	ACGIH TLV		MM HG	@ TEMP	PERCENT
Diethylene Glycol & Higher Glycols	111-46-6	N/A	N/A	N/A	0.0	77°F	70

SECTION III - PHYSICAL DATA

BOILING RANGE: 212 to 475°F
SPECIFIC GRAVITY (H₂O=1): 1.1
VAPOR DENSITY: Heavier than Air
EVAPORATION RATE: Slower than Ether
MATERIAL V.O.C.: GREEN: 6.64 LB/GL (795 G/L); RED: 6.61 LB/GL (792 G/L)
SOLUBILITY IN WATER: Partially Soluble
APPEARANCE AND ODOR: Moderately Viscous, Practically Odorless

SECTION IV - FIRE AND EXPLOSION HAZARD DATA

FLASH POINT: 290°F
METHOD USED: Open Cup
FLAMMABLE LIMITS IN AIR BY VOLUME: LOWER: 1.7% UPPER: 10.6%
EXTINGUISHING MEDIA: Alcohol Foam, CO₂, Dry Chemical, Water Fog
SPECIAL FIREFIGHTING PROCEDURES: Water spray may be ineffective. Water may be used to cool closed containers to prevent explosion when exposed to extreme heat. Full protective equipment may be needed to protect firefighters from hazardous combustion products.
UNUSUAL FIRE AND EXPLOSION HAZARDS: During emergency conditions, overexposure to decomposition products may cause a health hazard.

SECTION V - REACTIVITY DATA

STABILITY: Stable
CONDITIONS TO AVOID: NONE
INCOMPATIBILITY (MATERIALS TO AVOID): Contact with strong acids, alkalis or oxidizers.

PANNIER CORPORATION
MATERIAL SAFETY DATA SHEET

#4 RED & GREEN INK
JUNE 1, 2003 Rev. 6
PAGE 2 of 3

HAZARDOUS DECOMPOSITION OR BYPRODUCTS: May produce carbon monoxide, carbon dioxide, oxides of nitrogen and other hazardous decomposition products.

HAZARDOUS POLYMERIZATION: Will not occur.

SECTION VI - HEALTH HAZARD DATA

INHALATION HEALTH RISKS AND SYMPTOMS OF EXPOSURE: Essentially no irritation when used at room temperature.

SKIN AND EYE CONTACT HEALTH RISKS AND SYMPTOMS OF EXPOSURE: SKIN: Prolonged or repeated contact may dry and irritate skin. EYES: Mildly irritating.

SKIN ABSORPTION HEALTH RISKS AND SYMPTOMS OF EXPOSURE: Dermatitis may result from prolonged or repeated contact.

INGESTION HEALTH RISKS AND SYMPTOMS OF EXPOSURE: Can cause nausea and vomiting.

HEALTH HAZARDS (ACUTE AND CHRONIC): ACUTE: Mild irritation of eyes, nose, throat and skin. CHRONIC: Harm is expected only if taken internally. INGESTION of large amounts may cause kidney injury which could be fatal.

CARCINOGENICITY: None Currently Known **NTP?** No **IARC MONOGRAPHS?** No **OSHA REGULATED?** No

MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE: Respiratory irritation, dermatitis, anemia and nausea.

EMERGENCY AND FIRST AID PROCEDURES: INHALATION: Remove to fresh air. Restore breathing. Treat symptoms. Consult a physician. EYES: Flush immediately with water for 15 minutes. See a physician. SKIN: Wash with soap and water. Remove contaminated clothing. Consult a physician if irritation persists. INGESTION: Drink water to dilute. Do NOT induce vomiting. Consult a physician or poison control center immediately.

SECTION VII - PRECAUTIONS FOR SAFE HANDLING AND USE

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED: Remove by suitable inert absorbing material.

WASTE DISPOSAL METHOD: Incineration is preferred, in compliance with local, state and federal regulations. Refer to MSDS caution information before attempting to cleanup.

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING: Avoid excessive inhalation of vapor or mist.

OTHER PRECAUTIONS: In accordance with good industrial practice, handle with care and avoid unnecessary contact. Use only with adequate ventilation. Wash thoroughly after handling. For industrial use only. HMIS personal protective equipment is dependent upon conditions of use.

SECTION VIII - CONTROL MEASURES

RESPIRATORY PROTECTION: None normally required. However, when required its use must be in compliance with all OSHA health and fit testing requirements, as given in 29 CFR 1910.134.

VENTILATION: Room ventilation is usually adequate.

PROTECTIVE GLOVES: Protective gloves recommended for prolonged or repeated contact. Use rubber or plastic.

EYE PROTECTION: Safety eyewear is recommended and should be available to avoid accidental contact.

OTHER PROTECTIVE CLOTHING OR EQUIPMENT: Use protective cream when skin contact is likely.

WORK/HYGIENIC PRACTICES: Wash hands before eating, drinking or smoking. Avoid smoking in work area.

PANNIER CORPORATION
MATERIAL SAFETY DATA SHEET

#4 RED & GREEN INK
JUNE 1, 2003 Rev. 6
PAGE 3 of 3

SECTION IX - SPECIAL PRECAUTIONS
NO OTHER DATA AVAILABLE

SECTION X - REGULATORY INFORMATION
SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT OF 1986 (SARA) TITLE III TOXIC
CHEMICAL(S)
SUBJECT TO THE REPORTING REQUIREMENTS OF SECTION 313 OF TITLE III AND OF 40 CFR 372.

NONE

DISCLAIMER OF LIABILITY

THE INFORMATION IN THIS MSDS WAS OBTAINED FROM SOURCES WHICH WE BELIEVE ARE RELIABLE. HOWEVER, THE INFORMATION IS PROVIDED WITHOUT ANY REPRESENTATION OR WARRANTY, EXPRESS OR IMPLIED, REGARDING ITS ACCURACY OR CORRECTNESS. THE CONDITIONS OR METHODS OF HANDLING, STORAGE, USE AND DISPOSAL OF THE PRODUCT ARE BEYOND OUR CONTROL AND MAY BE BEYOND OUR KNOWLEDGE. FOR THIS AND OTHER REASONS, WE DO NOT ASSUME RESPONSIBILITY AND EXPRESSLY DISCLAIM LIABILITY FOR LOSS, DAMAGE OR EXPENSE ARISING OUT OF OR IN ANY WAY CONNECTED WITH THE HANDLING, STORAGE, USE OR DISPOSAL OF THE PRODUCT.